

ENOSLOJNA KOGENERACIJA - enoslojni dimniški sistemi za kogeneracijske naprave (nadtlačno delovanje do 5000 Pa)



| Naziv | Cev 1000mm | Cev 500mm | Cev 330mm | Cev 250mm | Cev 200mm | Cev 150mm | Cev 1000mm z zanko za sanacijo | Cev 1000mm z montažnim distančnikom |
|-------|------------|-----------|-----------|-----------|-----------|-----------|--------------------------------|-------------------------------------|
| Koda | KL0602 | KL0603 | KL06222 | KL0604 | KL06223 | KL06224 | KL0605 | KL0670 |
| Ø80 | 26,39 | 16,34 | 17,59 | 10,05 | 10,05 | 8,80 | 28,90 | 42,72 |
| Ø100 | 31,42 | 18,85 | 22,62 | 16,34 | 16,34 | 15,08 | 33,93 | 45,24 |
| Ø120 | 35,18 | 21,36 | 23,88 | 17,59 | 17,59 | 16,34 | 37,70 | 47,75 |
| Ø130 | 40,21 | 23,88 | 23,88 | 15,08 | 17,59 | 16,34 | 41,47 | 47,75 |
| Ø150 | 45,24 | 26,39 | 25,13 | 16,34 | 17,59 | 16,34 | 47,75 | 50,26 |
| Ø180 | 51,52 | 31,42 | 30,16 | 18,85 | 21,36 | 20,11 | 54,03 | 57,80 |
| Ø200 | 57,80 | 35,18 | 30,16 | 21,36 | 22,62 | 21,36 | 60,32 | 62,83 |
| Ø225 | 64,09 | 37,70 | 33,93 | 23,88 | 23,88 | 22,62 | 67,86 | 69,11 |
| Ø250 | 71,63 | 42,72 | 37,70 | 25,13 | 25,13 | 23,88 | 74,14 | 76,65 |
| Ø300 | 87,96 | 52,78 | 37,70 | 31,42 | 28,90 | 27,65 | 90,48 | 87,96 |
| Ø350 | 109,32 | 66,60 | 46,49 | 40,21 | 32,67 | 31,42 | 111,84 | 99,27 |
| Ø400 | 135,71 | 82,94 | 54,03 | 49,01 | 37,70 | 36,44 | 138,23 | 110,58 |
| Ø450 | 163,36 | 98,01 | 64,09 | 59,06 | 41,47 | 40,21 | 165,87 | 124,40 |
| Ø500 | 189,75 | 114,35 | 70,37 | 69,11 | 47,75 | 46,49 | 192,26 | 145,77 |
| Ø600 | 243,78 | 147,02 | 95,50 | 87,96 | 67,86 | 66,60 | 246,29 | 191,00 |

ODVODI KONDENZA



| Naziv | Nastavljiva cev 320-480 mm s tesnilom in objemko; do 200°C | Nastavljiva cev 320-480 mm z objemko; do 400°C | Cev 250mm z odvodom kondenza s 1/2" niplom - vert./horiz.vgradnja | Odvod kondenza s cevko l=250mm | Odvod kondenza s cevko l=250mm +½" mufna | Odvod kondenza s cevko l=250mm +½" nipel |
|-------|--|--|---|--------------------------------|--|--|
| Koda | KL06114D | KL06114 | KL06110 | KL01 | KL01A | KL01B |
| Ø80 | 67,86 | 56,55 | 101,78 | 28,90 | 59,06 | 42,72 |
| Ø100 | 67,86 | 56,55 | 103,04 | 30,16 | 60,32 | 43,98 |
| Ø120 | 69,11 | 56,55 | 104,30 | 31,42 | 61,57 | 45,24 |
| Ø130 | 71,63 | 59,06 | 105,55 | 32,67 | 61,57 | 45,24 |
| Ø150 | 76,65 | 62,83 | 106,81 | 32,67 | 62,83 | 46,49 |
| Ø180 | 87,96 | 74,14 | 110,58 | 33,93 | 64,09 | 47,75 |
| Ø200 | 95,50 | 80,42 | 113,09 | 36,44 | 70,37 | 50,26 |
| Ø225 | 101,78 | 85,45 | 115,61 | 40,21 | 70,37 | 52,78 |
| Ø250 | 105,55 | 89,22 | 116,86 | 42,72 | 72,88 | 55,29 |
| Ø300 | 134,46 | 116,86 | 123,15 | 45,24 | 75,40 | 57,80 |
| Ø350 | 149,54 | 128,17 | 124,40 | 52,78 | 82,94 | 66,60 |
| Ø400 | | 134,46 | 130,69 | 61,57 | 92,99 | 75,40 |
| Ø450 | | 148,28 | 138,23 | 74,14 | 104,30 | 86,71 |
| Ø500 | | 158,33 | 148,28 | 76,65 | 106,81 | 89,22 |
| Ø600 | | 189,75 | 175,92 | 103,04 | 133,20 | 115,61 |

ENOSLOJNA KOGENERACIJA - enoslojni dimniški sistemi za kogeneracijske naprave (nadtlačno delovanje do 5000 Pa)



| Naziv | Vrataca velika z nastavkom | Vrataca velika gola | Čistilni kos vgradni; do 400°C | Čistilni kos do 200°C/200Pa | Čistilni kos do 400°C | Čistilni kos do 600°C/5000 Pa |
|-------|----------------------------|---------------------|--------------------------------|-----------------------------|-----------------------|-------------------------------|
| Koda | FU0960 | FU13 | KL0607 | KL0630 | KL0607R | KL0630HT |
| Ø80 | dim.210x140mm | dim.210x140mm | 33,93 | 76,65 | 69,11 | 196,03 |
| Ø100 | | | 33,93 | 82,94 | 69,11 | 177,18 |
| Ø120 | 51,64 | 43,36 | 35,18 | 90,48 | 72,88 | 216,14 |
| Ø130 | | | 36,44 | 95,50 | 77,91 | 216,14 |
| Ø150 | | | 40,21 | 98,01 | 79,17 | 250,06 |
| Ø180 | | | 43,98 | 105,55 | 79,17 | 296,56 |
| Ø200 | | | 50,26 | 111,84 | 95,50 | 304,10 |
| Ø225 | | | 52,78 | 119,38 | 100,53 | 375,72 |
| Ø250 | | | 59,06 | 124,40 | 118,12 | 384,52 |
| Ø300 | | | 70,37 | 109,32 | 109,32 | 388,29 |
| Ø350 | | | 84,19 | 162,10 | 129,43 | 471,23 |
| Ø400 | | | 104,30 | 150,79 | 150,79 | 495,10 |
| Ø450 | | | 119,38 | 209,85 | 167,13 | 520,23 |
| Ø500 | | | 130,69 | 241,27 | 184,72 | 580,55 |
| Ø600 | | | 175,92 | 290,27 | 219,91 | 635,84 |

PRIKLJUČNI KOSI



| Naziv | T- kos 87° | T- kos 87° priključek FU | T- kos 45° | T-kos 45° priključek FU | Koleno 87° s podporo | Koleno 87° s podporo, priključek FU |
|-------|---------------|--------------------------|---------------|-------------------------|----------------------|-------------------------------------|
| Koda | KL0608 | KL06117 | KL0623 | KL06118 | KL0606 | KL06276 |
| Ø80 | 50,26 | 50,26 | 79,17 | 79,17 | 75,40 | 75,40 |
| Ø100 | 50,26 | 50,26 | 82,94 | 82,94 | 77,91 | 77,91 |
| Ø120 | 54,03 | 54,03 | 94,25 | 94,25 | 81,68 | 81,68 |
| Ø130 | 56,55 | 56,55 | 98,01 | 98,01 | 84,19 | 84,19 |
| Ø150 | 64,09 | 64,09 | 108,07 | 108,07 | 87,96 | 87,96 |
| Ø180 | 81,68 | 81,68 | 124,40 | 124,40 | 108,07 | 108,07 |
| Ø200 | 85,45 | 85,45 | 126,92 | 126,92 | 128,17 | 128,17 |
| Ø225 | 92,99 | 92,99 | 135,71 | 135,71 | 138,23 | 138,23 |
| Ø250 | 100,53 | 100,53 | 139,48 | 139,48 | 159,59 | 159,59 |
| Ø300 | 108,58 | 109,32 | 160,84 | 160,84 | 191,00 | 191,00 |
| Ø350 | 74,42 | 120,63 | 163,36 | 163,36 | 217,39 | 217,39 |
| Ø400 | 130,69 | 130,69 | 168,38 | 168,38 | 245,04 | 245,04 |
| Ø450 | 136,97 | 136,97 | 187,23 | 187,23 | 283,99 | 283,99 |
| Ø500 | 162,10 | 162,10 | 211,11 | 211,11 | 345,57 | 345,57 |
| Ø600 | 218,65 | 218,65 | 285,25 | 285,25 | 456,15 | 456,15 |

KOLENA



| Naziv | Koleno 15° | Koleno 30° | Koleno 45° | Koleno 87° | Koleno 90° | Koleno 87° s čistilno odprtino - do 400°C |
|-------|---------------|---------------|---------------|---------------|---------------|---|
| Koda | KL0609 | KL0610 | KL0611 | KL0612 | KL0613 | KL0614 |
| Ø80 | 15,08 | 15,08 | 15,08 | 26,39 | 26,39 | 42,72 |
| Ø100 | 15,08 | 15,08 | 15,08 | 28,90 | 28,90 | 45,24 |
| Ø120 | 16,34 | 16,34 | 16,34 | 31,42 | 31,42 | 47,75 |
| Ø130 | 17,59 | 17,59 | 17,59 | 32,67 | 32,67 | 49,01 |
| Ø150 | 18,85 | 18,85 | 18,85 | 36,44 | 36,44 | 52,78 |
| Ø180 | 22,62 | 22,62 | 22,62 | 51,52 | 51,52 | 67,86 |
| Ø200 | 26,39 | 26,39 | 26,39 | 66,60 | 66,60 | 81,68 |
| Ø225 | 31,42 | 31,42 | 31,42 | 74,14 | 74,14 | 89,22 |
| Ø250 | 36,44 | 36,44 | 36,44 | 89,22 | 89,22 | 105,55 |
| Ø300 | 55,29 | 55,29 | 55,29 | 110,58 | 110,58 | 139,48 |
| Ø350 | 57,80 | 57,80 | 57,80 | 130,69 | 130,69 | 160,84 |
| Ø400 | 66,60 | 66,60 | 66,60 | 153,31 | 153,31 | 177,18 |
| Ø450 | 72,88 | 72,88 | 72,88 | 180,95 | 180,95 | 198,54 |
| Ø500 | 84,19 | 84,19 | 84,19 | 212,37 | 212,37 | 233,73 |
| Ø600 | 110,58 | 110,58 | 110,58 | 290,27 | 290,27 | 319,18 |



| Naziv | Koleno 90° s čistilno odprtino, do 400°C | Koleno 87° s čistilno odprtino in tesnilom, do 200°C / 200Pa | Koleno 90° s čistilno odprtino in tesnilom, do 200°C / 200Pa | Koleno 87° s čistilno odprtino, do 600°C / 5000Pa | Koleno 90° s čistilno odprtino, do 250°C / 5000Pa |
|-------|--|--|--|---|---|
| Koda | KL0615 | KL0614D | KL0615D | KL0623HT | KL0624HT |
| Ø80 | 42,72 | 49,01 | 49,01 | 121,89 | 121,89 |
| Ø100 | 45,24 | 51,52 | 51,52 | 124,40 | 124,40 |
| Ø120 | 47,75 | 54,03 | 54,03 | 126,92 | 126,92 |
| Ø130 | 49,01 | 55,29 | 55,29 | 128,17 | 128,17 |
| Ø150 | 52,78 | 60,32 | 60,32 | 131,94 | 131,94 |
| Ø180 | 67,86 | 76,65 | 76,65 | 147,02 | 147,02 |
| Ø200 | 81,68 | 91,73 | 91,73 | 160,84 | 160,84 |
| Ø225 | 89,22 | 100,53 | 100,53 | 168,38 | 168,38 |
| Ø250 | 105,55 | 116,86 | 116,86 | 184,72 | 184,72 |
| Ø300 | 139,48 | 152,05 | 152,05 | 218,65 | 218,65 |
| Ø350 | 160,84 | 177,18 | 177,18 | 240,01 | 240,01 |
| Ø400 | 177,18 | 192,26 | 192,26 | 256,35 | 256,35 |
| Ø450 | 198,54 | 214,88 | 214,88 | 277,71 | 277,71 |
| Ø500 | 233,73 | 256,35 | 256,35 | 312,89 | 312,89 |
| Ø600 | 319,18 | 343,05 | 343,05 | 398,34 | 398,34 |



| Naziv | Zaključna kapa | Zaključni kos EWKL/DWKL enoslojni/troslojni |
|-------|----------------|---|
| Koda | DWKL32 | DWKL08 |
| Ø80 | 51,52 | 110,58 |
| Ø100 | 51,52 | 123,15 |
| Ø130 | 57,80 | 133,20 |
| Ø150 | 65,34 | 149,54 |
| Ø180 | 65,34 | 180,95 |
| Ø200 | 69,11 | 203,57 |
| Ø225 | 75,40 | 222,42 |
| Ø250 | 82,94 | 243,78 |
| Ø300 | 99,27 | 270,17 |
| Ø350 | 124,40 | 292,79 |
| Ø400 | 147,02 | 353,10 |
| Ø450 | 185,98 | 395,83 |
| Ø500 | 227,44 | 418,45 |
| Ø600 | 346,82 | 571,75 |

CEVI



| Naziv | Cev 1000 mm | Cev 500 mm | Cev 330 mm | Cev 300 mm | Cev 250 mm | Cev 220 mm |
|-------|---------------|---------------|----------------|----------------|---------------|----------------|
| Koda | DWKL13 | DWKL14 | DWKL207 | DWKL209 | DWKL15 | DWKL208 |
| Ø80 | 113,09 | 60,32 | 49,01 | 47,75 | 45,24 | 38,95 |
| Ø100 | 113,09 | 60,32 | 50,26 | 49,01 | 45,24 | 38,95 |
| Ø130 | 121,89 | 67,86 | 56,55 | 52,78 | 49,01 | 42,72 |
| Ø150 | 139,48 | 76,65 | 70,37 | 57,80 | 54,03 | 42,72 |
| Ø180 | 157,08 | 89,22 | 71,63 | 71,63 | 60,32 | 47,75 |
| Ø200 | 177,18 | 96,76 | 84,19 | 76,65 | 70,37 | 56,55 |
| Ø225 | 182,21 | 109,32 | 96,76 | 98,01 | 80,42 | 71,63 |
| Ø250 | 234,98 | 124,40 | 106,81 | 98,01 | 89,22 | 72,88 |
| Ø300 | 287,76 | 162,10 | 148,28 | 133,20 | 124,40 | 98,01 |
| Ø350 | 394,57 | 212,37 | 169,64 | 154,56 | 143,25 | 113,09 |
| Ø400 | 447,35 | 296,56 | 282,74 | 255,09 | 236,24 | 188,49 |
| Ø450 | 468,71 | 324,20 | 296,56 | 270,17 | 251,32 | 199,80 |
| Ø500 | 520,23 | 338,03 | 317,92 | 287,76 | 267,66 | 212,37 |
| Ø600 | 596,89 | 384,52 | 359,39 | 324,20 | 301,58 | 238,75 |

TROSLOJNA KOGENERACIJA - troslojni dimniški sistemi za kogeneracijske naprave (nadtlačno delovanje do 5000 Pa)



| Naziv | Odvod kondenza konzolni odtok spodaj | Odvod kondenza konzolni | Odvod kondenza talni | Cev z priključkom za konzole | Cev z priključkom za konzole in odvodom kondenza 600°C | Podstavek zaprti |
|-------|--------------------------------------|-------------------------|----------------------|------------------------------|--|------------------|
| Koda | DWKL05 | DWKL06 | DWKL66 | DWKL07 | DWKL07HT | DWKL09 |
| Ø80 | 59,06 | 71,63 | 72,88 | 61,57 | 278,97 | 45,24 |
| Ø100 | 60,32 | 74,14 | 74,14 | 64,09 | 283,99 | 46,49 |
| Ø130 | 66,60 | 84,19 | 82,94 | 75,40 | 300,33 | 50,26 |
| Ø150 | 69,11 | 96,76 | 94,25 | 84,19 | 315,41 | 52,78 |
| Ø180 | 80,42 | 113,09 | 109,32 | 86,71 | 335,51 | 57,80 |
| Ø200 | 84,19 | 119,38 | 115,61 | 103,04 | 346,82 | 59,06 |
| Ø225 | 87,96 | 135,71 | 130,69 | 115,61 | 370,70 | 60,32 |
| Ø250 | 92,99 | 152,05 | 145,77 | 134,46 | 399,60 | 60,32 |
| Ø300 | 100,53 | 167,13 | 160,84 | 143,25 | 437,30 | 62,83 |
| Ø350 | 174,67 | 202,31 | 187,23 | 169,64 | 493,84 | 74,14 |
| Ø400 | 217,39 | 301,58 | 280,22 | 251,32 | 609,45 | 121,89 |
| Ø450 | 272,68 | 322,95 | 307,87 | 291,53 | 683,59 | 164,61 |
| Ø500 | 310,38 | 368,18 | 353,10 | 331,74 | 859,51 | 193,52 |
| Ø600 | 376,98 | 425,99 | 425,99 | 384,52 | 978,89 | 202,31 |

ČISTILNI ELEMENTI



| Naziv | Nastavljiv podporni kos 50-520mm s stranskim odvodom kondenza | Cev z revizijsko odprtino do 200°C/200Pa | Cevni element s čistilno odprtino; do 200°C/200 Pa | Cevni element s čistilno odprtino; do 400°C | Cevni element s čistilno odprtino; do 600°C/5000 Pa | Nastavljiva cev 320-480 mm; do 200°C/200 Pa |
|-------|---|--|--|---|---|---|
| Koda | DWKL03 | DWKL294 | DWKL10 | DWKL10U | DWKL10HT | DWKL50 |
| Ø80 | 164,61 | 175,92 | 253,83 | 211,11 | 387,03 | 128,17 |
| Ø100 | 167,13 | 177,18 | 262,63 | 212,37 | 405,88 | 129,43 |
| Ø130 | 173,41 | 191,00 | 268,91 | 224,93 | 413,42 | 143,25 |
| Ø150 | 177,18 | 204,83 | 282,74 | 236,24 | 453,63 | 165,87 |
| Ø180 | 201,06 | 221,16 | 295,30 | 245,04 | 506,41 | 192,26 |
| Ø200 | 214,88 | 228,70 | 310,38 | 257,60 | 521,49 | 228,70 |
| Ø225 | 216,14 | 240,01 | 322,95 | 267,66 | 581,81 | 263,89 |
| Ø250 | 216,14 | 258,86 | 335,51 | 278,97 | 594,37 | 299,07 |
| Ø300 | 349,33 | 291,53 | 358,13 | 296,56 | 615,73 | 417,19 |
| Ø350 | 351,85 | 340,54 | 410,91 | 334,26 | 687,36 | 554,16 |
| Ø400 | 361,90 | 371,95 | 579,29 | 471,23 | 855,74 | 869,57 |
| Ø450 | 373,21 | 423,47 | 603,17 | 490,07 | 879,62 | 712,49 |
| Ø500 | 385,78 | 476,25 | 652,18 | 529,03 | 939,94 | 766,53 |
| Ø600 | 456,15 | 532,80 | 687,36 | 557,93 | 975,12 | 949,99 |

TROSLOJNA KOGENERACIJA - troslojni dimniški sistemi za kogeneracijske naprave (nadtlačno delovanje do 5000 Pa)



| Naziv | Cev 250mm z 1/2" nastavkom za merilno odprtino ali odvod kondenza | T kos 87° | T kos 87°s čistilnimi vrati nasproti; do 200°C / 200Pa (enaka višina) | T kos 45° | Koleno 87° s podporo | Pokrov z ročajem za DWKL11 |
|-------|---|-----------|---|-----------|----------------------|----------------------------|
| Koda | DWKL51 | DWKL11 | DWKL421 | DWKL12 | DWKL57 | DWKL43 |
| Ø80 | 75,40 | 154,56 | 301,58 | 233,73 | 167,13 | 51,52 |
| Ø100 | 75,40 | 155,82 | 304,10 | 234,98 | 178,44 | 51,52 |
| Ø130 | 81,68 | 160,84 | 309,12 | 253,83 | 187,23 | 57,80 |
| Ø150 | 84,19 | 188,49 | 336,77 | 275,20 | 218,65 | 54,03 |
| Ø180 | 96,76 | 206,08 | 353,10 | 291,53 | 238,75 | 60,32 |
| Ø200 | 101,78 | 256,35 | 441,07 | 385,78 | 297,81 | 67,86 |
| Ø225 | 114,35 | 287,76 | 472,48 | 429,76 | 338,03 | 74,14 |
| Ø250 | 128,17 | 322,95 | 507,67 | 477,51 | 375,72 | 80,42 |
| Ø300 | 163,36 | 390,80 | 575,52 | 545,36 | 456,15 | 96,76 |
| Ø350 | 211,11 | 441,07 | 625,79 | 625,79 | 534,06 | 105,55 |
| Ø400 | 290,27 | 580,55 | 765,27 | 873,34 | 611,96 | 116,86 |
| Ø450 | 319,18 | 620,76 | 805,48 | 941,19 | 688,62 | 128,17 |
| Ø500 | 326,72 | 688,62 | 873,34 | 1.039,21 | 766,53 | 138,23 |
| Ø600 | 371,95 | 761,50 | 946,22 | 1.156,07 | 921,09 | 149,54 |

KOLENA



| Naziv | Koleno 15° | Koleno 30° | Koleno 45° | Koleno 60° | Koleno 87° | Koleno 90° |
|-------|------------|------------|------------|------------|------------|------------|
| Koda | DWKL16 | DWKL17 | DWKL18 | DWKL84 | DWKL64 | DWKL60 |
| Ø80 | 57,80 | 60,32 | 66,60 | 100,53 | 136,97 | 136,97 |
| Ø100 | 57,80 | 61,57 | 66,60 | 101,78 | 136,97 | 136,97 |
| Ø130 | 61,57 | 66,60 | 70,37 | 106,81 | 142,00 | 142,00 |
| Ø150 | 69,11 | 72,88 | 72,88 | 110,58 | 148,28 | 148,28 |
| Ø180 | 76,65 | 81,68 | 79,17 | 120,63 | 160,84 | 160,84 |
| Ø200 | 79,17 | 82,94 | 92,99 | 138,23 | 167,13 | 167,13 |
| Ø225 | 81,68 | 85,45 | 100,53 | 142,00 | 182,21 | 182,21 |
| Ø250 | 84,19 | 87,96 | 108,07 | 162,10 | 188,49 | 188,49 |
| Ø300 | 114,35 | 128,17 | 153,31 | 241,27 | 236,24 | 236,24 |
| Ø350 | 155,82 | 172,15 | 193,52 | 321,69 | 310,38 | 310,38 |
| Ø400 | 209,85 | 231,21 | 243,78 | 472,48 | 333,00 | 333,00 |
| Ø450 | 242,52 | 266,40 | 304,10 | 527,77 | 354,36 | 354,36 |
| Ø500 | 304,10 | 334,26 | 361,90 | 584,32 | 480,02 | 480,02 |
| Ø600 | 349,33 | 385,78 | 419,70 | 726,31 | 679,82 | 679,82 |

TROSLOJNA KOGENERACIJA - troslojni dimniški sistemi za kogeneracijske naprave (nadtlačno delovanje do 5000 Pa)



| Naziv | Koleno 87° z revizijo do 200°C / 200 Pa | Koleno 87° z revizijo do 600°C / 5000 Pa | Čistilno koleno 87° z revizijo do 200°C / 200 Pa | Čistilno koleno 87° z revizijo do 600°C / 5000 Pa | Čistilno koleno 87° z revizijo do 400°C |
|-------|---|--|--|---|--|
| Koda | DWKL63 | DWKL63HT | DWKL67 | DWKL67HT | DWKL67U |
| Ø80 | 307,87 | 424,73 | 268,91 | 373,21 | 237,50 |
| Ø100 | 309,12 | 427,24 | 277,71 | 374,47 | 238,75 |
| Ø130 | 316,66 | 436,04 | 283,99 | 379,49 | 243,78 |
| Ø150 | 326,72 | 469,97 | 291,53 | 410,91 | 248,81 |
| Ø180 | 345,57 | 520,23 | 306,61 | 453,63 | 262,63 |
| Ø200 | 380,75 | 555,42 | 335,51 | 481,28 | 286,50 |
| Ø225 | 397,09 | 610,71 | 351,85 | 536,57 | 287,76 |
| Ø250 | 413,42 | 627,04 | 369,44 | 552,90 | 291,53 |
| Ø300 | 501,38 | 715,01 | 466,20 | 642,12 | 295,30 |
| Ø350 | 627,04 | 855,74 | 613,22 | 774,07 | 373,21 |
| Ø400 | 823,07 | 1.053,03 | 840,67 | 971,35 | 443,58 |
| Ø450 | 895,96 | 1.125,91 | 922,34 | 1.044,23 | 457,40 |
| Ø500 | 1.031,67 | 1.269,17 | 1.010,31 | 1.127,17 | 554,16 |
| Ø600 | 1.166,12 | 1.403,62 | 1.231,47 | 1.313,15 | 731,34 |

KOLENA

PREHODNI ELEMENTI



| Naziv | Čistilno koleno 90° z revizijo do 200°C / 200 Pa | Čistilno koleno 90° z revizijo 600°C / 5000 Pa | Čistilno koleno 90° z revizijo do 400°C | Prehodni kos EWKL/DWKL | Prehodni kos DWKL/EWKL | Prehodni kos EWFU/DWKL |
|-------|--|--|---|---------------------------|---------------------------|---------------------------|
| Koda | DWKL19 | DWKL19HT | DWKL19U | DWKL37 | DWKL37A | DWKL37C |
| Ø80 | 268,91 | 373,21 | 237,50 | 32,67 | 32,67 | 32,67 |
| Ø100 | 277,71 | 374,47 | 238,75 | 32,67 | 32,67 | 32,67 |
| Ø130 | 283,99 | 379,49 | 243,78 | 33,93 | 33,93 | 33,93 |
| Ø150 | 291,53 | 410,91 | 248,81 | 35,18 | 35,18 | 35,18 |
| Ø180 | 281,48 | 453,63 | 262,63 | 35,18 | 35,18 | 35,18 |
| Ø200 | 335,51 | 481,28 | 286,50 | 37,70 | 37,70 | 37,70 |
| Ø225 | 351,85 | 536,57 | 287,76 | 40,21 | 40,21 | 40,21 |
| Ø250 | 369,44 | 552,90 | 291,53 | 40,21 | 40,21 | 40,21 |
| Ø300 | 466,20 | 642,12 | 295,30 | 46,49 | 46,49 | 46,49 |
| Ø350 | 613,22 | 774,07 | 373,21 | 54,03 | 54,03 | 54,03 |
| Ø400 | 840,67 | 971,35 | 443,58 | 67,86 | 67,86 | 67,86 |
| Ø450 | 922,34 | 1.107,06 | 457,40 | 79,17 | 79,17 | 79,17 |
| Ø500 | 1.010,31 | 1.127,17 | 554,16 | 86,71 | 86,71 | 86,71 |
| Ø600 | 1.231,47 | 1.313,15 | 731,34 | 119,38 | 119,38 | 119,38 |